



OneScreen. That means all the interactive hardware and software you need in a single device. Put streaming video, people, data and all of your essential business tools at your fingertips, literally. Assemble the team, present the facts, white board your solutions, share your screen and win the business.

All-in-One Solution



Collaborate with video, voice & data, interactive white boarding, screen sharing, annotating, polling, recording, saving, remote management & more.

Easy to Use



Like your computer with an extra large touch screen, so it's familiar for highly technical teams or not so savvy users. Everyone can walk up & work.

Ultra-Compatible




Built to integrate easily into your existing collaboration tech portfolio from hardware to software. Includes Windows, Mac, Android, iOS & Chrome OS.


Support-Centric



Unlimited, free Screen Skills Guru support and training with all of our solutions via audio, video, chat, email or phone.
















Translation and Transcription

Just as the web removed distance as a barrier to business, OneScreen removes language as a barrier with built-in translation and transcription software. Expand to new territories and keep precise records of what was said in the meeting.



Build Your Perfect OneScreen

One size does not fit all. Customize your collaboration hub and watch your personal OneScreen maximize productivity and performance.

Do you need to capture everything that happens inside a large conference room? We can deliver high-gain microphones and a 1080p full HD camera, with a 12x optical zoom and a rotation range of up to 170°.

Are you simply looking for a smart screen to bring a small team together? All you need is flat panel with a simple webcam and a built-in microphone array with 3D noise reduction.

We're ready to build the perfect screen to turbo-charge your business.





Hardware	
Model Sizes	55", 65", 75", 86", 98"
OPS PC	Intel i7 4th Gen, 8GB RAM, 256 GB SSD, Gigabit Ethernet, WiFi 802.11 a/b/g/n, Bluetooth, Win 10 Pro
OPS Inputs/Outputs	4x USB 3.0, 2x USB 2.0, 1x HDMI, 1x Display Port, 1x VGA, 1x Mic, 1x Earphone, 1x RS232
OneScreen Webcam	1080p full HD USB 2.0 camera and mic, built-in microphone array with 3D noise reduction, wide-angel FOV 120°
Wireless Keyboard, Mouse	Full size Logitech wireless keyboard with touchpad, 33 ft. wireless range
Software & Service	S
Android Applications	Full access to Andriod Apps including Chrome, YouTube, Office Apps and more
Google Play Store	Full access to Google Play Store with Multi-user login support
Remote Management	Centralized emergency notifications, firmware upgrades, screen control
OneScreen Write	Write on any content, save, transfer via QR code or email
OneScreen eShare	Multi device screen share & streaming
OneScreen Hype	Video collaboration software, 1-year subscription, 50 licenses
OneScreen Swap	Remote desktop sharing, 1-year subscription, 50 licenses
OneScreen Annotate	Interactive whiteboard and annotation software, perpetual license
OneScreen Navigate	Centralized product navigation software, perpetual license
Optional Software	Education software with subject-specific toolbar, K-12 curriculum lesson plans, lecture preparation and delivery platform
Software Package Benefits	Video & audio conferencing, screen sharing, polling, file transfer, annotation, transcription, wireless streaming, passing control, whiteboard, save, record, stream multiple cameras, emergency notifications, remote management and more
Screen Skils Guru Service	Unlimited, free customer support and training via video, audio, chat or phone

Touch Capability 20-point IR touch (finger or stylus), 2mm accuracy Touch Response Time 8 ms Built-in sound & speakers Surface Protection 8 MOHS strength, anti-glare glass Input AV Ports 3x HDMI, 1x VGA, 1x DP, 1x Audio, 1x MIC, 1x YPBPR, 1x AV Output AV Ports 1x HDMI, 1x SPDIF, 1x AV, 1x Earphone Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA & DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display		
Refresh Rate 60 Hz Pixel Pitch 0.4935 mm x 0.4935 mm 8 ightness 400 cd/m² Display Colors High color gamut, supports 1.07B (10-bit) Viewing angle 178° Android Processor Android 6 OS, 2GB RAM, 64GB Storage, quad-core ASS Cortex 1.5GHz processor Touch Capability 20-point IR touch (finger or stylus), 2mm accuracy Touch Response Time 8ms Built-in sound & speakers Surface Protection 8 MOHS strength, anti-glare glass Input AV Ports 3x HDMI, 1x VGA, 1x DP, 1x Audio, 1x MIC, 1x YPBPR, 1x AV Output AV Ports 1x HDMI, 1x SPDIF, 1x AV, 1x Earphone Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA & DP), 1x Bluetooth 4.0, Dual WiFi (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Screen Type	Original LG IPS LED
Pixel Pitch 0.4935 mm x 0.4935 mm Brightness 400 cd/m² Display Colors High color gamut, supports 1.07B (10-bit) Viewing angle 178° Android Processor Android 6 OS, 2GB RAM, 64GB Storage, quad-core ASC Cortex 1.5GHz processor Touch Capability 20-point IR touch (finger or stylus), 2mm accuracy Touch Response Time <8ms Built-in sound & speakers Dolby stereo speakers, 15W+15W Surface Protection 8 MOHS strength, anti-glare glass Input AV Ports 3x HDMI, 1x VGA, 1x DP, 1x Audio, 1x MIC, 1x YPBPR, 1x AV Output AV Ports 1x HDMI, 1x SPDIF, 1x AV, 1x Earphone Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA, 8 DP), 1x Bluetooth 4.0, Dual WiFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Available at time of purchase only <th>Resolution</th> <th>4K UHD - 3840(H) × 2160 (V)</th>	Resolution	4K UHD - 3840(H) × 2160 (V)
Brightness 400 cd/m² Display Colors High color gamut, supports 1.07B (10-bit) Viewing angle 178° Android Processor Android 6 OS, 2GB RAM, 64GB Storage, quad-core ASC Cortex 1.5GHz processor Touch Capability 20-point IR touch (finger or stylus), 2mm accuracy Touch Response Time <8ms Built-in sound & speakers Dolby stereo speakers, 15W+15W Surface Protection 8 MOHS strength, anti-glare glass Input AV Ports 3x HDMI, 1x VGA, 1x DP, 1x Audio, 1x MIC, 1x YPBPR, 1x AV Connectivity Ports 1x HDMI, 1x SPDIF, 1x AV, 1x Earphone Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA, 8 DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Available at time of purchase only Product Weight 150 lbs </th <th>Refresh Rate</th> <th>60 Hz</th>	Refresh Rate	60 Hz
Display ColorsHigh color gamut, supports 1.07B (10-bit)Viewing angle178°Android ProcessorAndroid 6 OS, 2GB RAM, 64GB Storage, quad-core ASS Cortex 1.5GHz processorTouch Capability20-point IR touch (finger or stylus), 2mm accuracyTouch Response Time<8ms	Pixel Pitch	0.4935 mm x 0.4935 mm
Viewing angle178°Android ProcessorAndroid 6 OS, 2GB RAM, 64GB Storage, quad-core ASS Cortex 1.5GHz processorTouch Capability20-point IR touch (finger or stylus), 2mm accuracyTouch Response Time<8ms	Brightness	400 cd/m²
Android Processor Android 6 OS, 2GB RAM, 64GB Storage, quad-core ASS Cortex 1.5GHz processor Touch Capability 20-point IR touch (finger or stylus), 2mm accuracy Touch Response Time 8 ms Built-in sound & speakers Surface Protection 8 MOHS strength, anti-glare glass Input AV Ports 3x HDMI, 1x VGA, 1x DP, 1x Audio, 1x MIC, 1x YPBPR, 1x AV Output AV Ports 1x HDMI, 1x SPDIF, 1x AV, 1x Earphone Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA & DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Display Colors	High color gamut, supports 1.07B (10-bit)
Touch Capability 20-point IR touch (finger or stylus), 2mm accuracy Touch Response Time <8ms Built-in sound & speakers Surface Protection 8 MOHS strength, anti-glare glass Input AV Ports 3x HDMI, 1x VGA, 1x DP, 1x Audio, 1x MIC, 1x YPBPR, 1x AV Output AV Ports 1x HDMI, 1x SPDIF, 1x AV, 1x Earphone Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA & DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Viewing angle	178°
Touch Response Time<8ms	Android Processor	Android 6 OS, 2GB RAM, 64GB Storage, quad-core A53 Cortex 1.5GHz processor
Built-in sound & speakers Surface Protection 8 MOHS strength, anti-glare glass Input AV Ports 3x HDMI, 1x VGA, 1x DP, 1x Audio, 1x MIC, 1x YPBPR, 1x AV Output AV Ports 1x HDMI, 1x SPDIF, 1x AV, 1x Earphone Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA & DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Dimensions 74.1" x 47.7" x 11.1"	Touch Capability	20-point IR touch (finger or stylus), 2mm accuracy
Surface Protection 8 MOHS strength, anti-glare glass Input AV Ports 3x HDMI, 1x VGA, 1x DP, 1x Audio, 1x MIC, 1x YPBPR, 1x AV Output AV Ports 1x HDMI, 1x SPDIF, 1x AV, 1x Earphone Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA & DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Touch Response Time	<8ms
Input AV Ports 3x HDMI, 1x VGA, 1x DP, 1x Audio, 1x MIC, 1x YPBPR, 1x AV Output AV Ports 1x HDMI, 1x SPDIF, 1x AV, 1x Earphone Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA & DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"		Dolby stereo speakers, 15W+15W
Output AV Ports 1x HDMI, 1x SPDIF, 1x AV, 1x Earphone Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA & DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Surface Protection	8 MOHS strength, anti-glare glass
Connectivity Ports 1x Camera USB, 1x RS232, 2x RJ-45, 2x Touch (1x HDMI, 1x VGA & DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Input AV Ports	
1x VGA & DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna 5G & 2.4GHz) Auto-switch USB 5x Multi-Media USB dual mode, auto-switch between Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Output AV Ports	1x HDMI, 1x SPDIF, 1x AV, 1x Earphone
Android and OPS PC during usage Power Supply AC 100-240V, 50/60 Hz Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Connectivity Ports	1x VGA & DP), 1x Bluetooth 4.0, Dual WIFI (3x Antenna,
Accessories, Dimensions & Weight Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions	Auto-switch USB	
Wall Mount Kit VESA standard 600x400, flush wall mount provided Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Available at time of purchase only Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Power Supply	AC 100-240V, 50/60 Hz
Remote Control 1x for display Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Available at time of purchase only Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Accessories, Dimer	nsions & Weight
Cables & Stylus HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Wall Mount Kit	VESA standard 600x400, flush wall mount provided
Advanced HW Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Remote Control	1x for display
Replacement Warranty Product Dimensions 68.5" x 41.7" x 4.2" Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"	Cables & Stylus	HDMI cable, touch USB cable, VGA cable, AUX cable, power cable, 2x stylus, extendable wand
Product Weight 150 lbs Shipping Dimensions 74.1" x 47.7" x 11.1"		Available at time of purchase only
Shipping Dimensions 74.1" x 47.7" x 11.1"	Product Dimensions	68.5" x 41.7" x 4.2"
··· •	Product Weight	150 lbs
Shipping Weight* 205 lbs	Shipping Dimensions	74.1" x 47.7" x 11.1"
	Shipping Weight*	205 lbs

Interactive Display

86"

Panel Size

Contact us!

Tell us about your collaboration challenges and we'll show you how OneScreen can solve them.

United States - Company Headquarters

Kevin Wong kevin@onescreensolutions.com 8168 Miramar Road, San Diego, CA 92126 +1-858-552-0290



Colombia

Bogota Alejandro Diaz Cherry alejandro@claryla.com

Autopista Medellín Km 3.5 vía Siberia. Terminal Terrestre de Carga de Bogota Bodega 75 Modulo 2 250017 +57-1-432-5127

Barranquilla
Brayan Caballero
brayan.caballero@claryla.com
Carrera 62 No. 76-94, Barrio la Concepcion,
Barranquilla, Colombia
+57-317-708-1416

Medellin
Alexander Bermudez
alexander.bermudez@claryla.com
Calle 31 #71-15 Belén Rosales, Medellín, Antioquia
+57-313-525-2778

Mexico

Arlette Gomez

arlette.gomez@claryla.com Ejido santa Isabel Tola 34-201, San Francisco Culhuacán, Coyoacán, CDMX México CP. 04420 +52-6842-8081 and -82

Canada

Lincoln Vaz

lincoln@onescreensolutions.com

Suite # 731, 3-304 Stone Road West, Guelph, ON, N1G 4W4

Pakistan

+1-800-992-5279

Shaun Tanwir **shaun@claryicon.com** 278, Sumbul Road F-10/4, Islamabad +92-51-237-0270

UAE

Mujtaba Hassan **mujtaba@claryicon.com** Office C79 C85, 4th Floor, Block C, Dubai Silicon Oasis HQ Building, Dubai, UAE +971-4-501-5990

India

Amit Barve

amit@claryicon.com Drive India Enterprise Solutions Limited Andheri East, Mumbai, Maharashtra 400059 +91-982-039-6499